
U.S. ENERGY FLOW - 1981

C. K. Briggs and I. Y. Borg

October 1, 1982



ABSTRACT

Flow diagrams to describe the U.S. energy situation have been prepared since 1972 by the Lawrence Livermore National Laboratory. In 1981 the energy consumption was 73 quads (or 73 x 10¹⁵ Btu) - down from 75 quads in 1980.

Oil continues to dominate the picture as it comprises 45% of the total energy used. Not nil purchased for the Strategic Potroloum.

INTRODUCTION

United States Energy Flow Charts tracing primary resource supply and enduse have been prepared by members of the Energy and Resource Planning Group at the Lawrence Livermore National Laboratory since 1972. They are a convenient graphical device to show relative size of energy sources and enduses since all fuels are compared on a common Btu basis. The amount of detail on a flow chart can vary substantially, and there is some point where complexity begins to interfere with the main objectives of the presentation. The charts shown here have been drawn so as to remain clear and be consistent with assumptions and style used previously.

ENERGY FLOW CHARTS

Figures 1 and 2 are energy flow charts for calendar years 1981 and 1980^2 respectively.

Data for the flow chart were provided by tables in the Department of Energy Monthly Energy Review, DOE/EIA-0035 $(82/05)^3$ and the 1981 Annual Report to Congress⁴.

The Residential and Commercial Sector consists of housing units, non-manufacturing business establishments, health and educational institutions, and government office buildings. The Industrial Sector is made up of construction, manufacturing, agriculture, and mining establishments. The Transportation Sector combines private and public passenger and freight transportation and government transportation including military operations.

2






Figure 1

U.S. ENERGY FLOW — 1980 (NET PRIMARY RESOURCE CONSUMPTION 75 QUADS)

ω






Figure 2

Utility electricity generation includes power sold by both privately and publicly owned establishments.

The appendix lists conversion factors used in converting fuel quantities to Btu.

The division between "useful" and "rejected" energy is arbitrary and depends on assumed efficiencies of conversion processes. In the residential and commercial end-use sectors, a 75 percent efficiency was assumed which is a weighted average between space heating at approximately 60 percent and electrical lighting and other electrical uses at about 90 percent. Eighty percent efficiency was assumed in the industrial end-use sector and 25 percent in transportation. The latter percent corresponds to the approximate efficiency of the internal combustion engine.

COMPARISON WITH 1980 AND PAST YEARS

Figures 1 and 2 provide graphic comparison of energy use for 1980 and 1981. In 1981 we have added a non-fuel category of end-use. In 1980 it was included in the industrial usage. It consists of fuels that are not burned to produce heat, e.g., asphalt, road oil, petrochemical feedstocks such as ethane, liquid gases, lubricants, petroleum coke, waxes, carbon black and crude tar. Coking coal traditionally is not included. Table 1 lists the consumption of energy resources in the United States for the past five years and gives percentage differences between 1980 and 1981.

For the third year net oil use dropped. An 8.3% decrease followed the 1980 9.2 percent drop. Domestic crude and NGL production changed only

TABLE 1. Comparison of annual energy use in U.S.

	1976	1977	Quads 1978	1979	1980	1981	Change 1981 vs 1 980
Natural gas	19.48	19.57	19.49	20.08	20.11	19.93	-0.9%
Imports	0.96	1.01	0.97	1.25	0.99	0.88	-11.1%
Crude oil and NGL Domestic crude							
& NGL Foreign imports (incl. products	19.59	19.78	20.68	20.39	20.51	20.39	-0.6%
& SPR)	15.48	18.64	17.70	17.90	14.63	12.66	-13.5%
Exports	0.47	0.51	0.77	1.00	1.15	1.26	+9.6%
SPR storage reserve* Net use (minus		0.04	0.34	0.14	0.10	0.71	+610. %
exports & SPR)	34.60	37.87	37.27	37.15	33.89	31.08	-8.3%
Coal (incl. exports)	15.85	15.83	15.04	17.65	19.21	18.99	-1.1%
Electricity							
Hydroelectric							
(net only)	0.97	0.75	0.96	0.96	0.94	0.89	-5.3%
Geothermal & other							
(net only)	0.01	0.01	0.01	0.02	0.02	0.02	
Nuclear	2.11	2.70	2.98	2.75	2.67	2.90	+7.9%
Gas	3.15	3.29	3.30	3.61	3.81	3.76	-1.3%
Coal	9.71	10.25	10.13	11.26	12.12	12.71	+4.9%
0i1	3.45	4.03	3.81	3.39	2.65	2.20	-17.0%
Total fuel	19.40	21.03	21.19	21.99	22.21	22.48	+1.2%
Total transmitted							
energy	6.96	7.25	7.53	7.67	7.80	7.83	+0.4%
Residential and							
commercial	18.12	17.87	18.24	17.31	16.52	15.10	-8.6%
Industrial	22.07	22.51	22.74	24.57	23.40	22.04	-5.8%
Transportation	19.04	19.71	20.59	19.93	18.60	19.19	+3.2%
Total consumption	72.1		78.0	77.8	75.0	73.0	-2.7%

^{*}Strategic petroleum reserve storage began in October, 1977.

Source: $\underline{\text{Monthly Energy Review}}$ DOE/EIA-0035 (82/05) Revised data as of May 1982. Some figures differ from those on earlier flow charts.

slightly (+0.6 percent), but foreign imports were down 14 percent from 1980. (Figure 3.) The drop in oil imports and oil consumption in general accounts for the drop in total energy consumption from 75 quads (10¹⁵ Btu) in 1980 to 73 quads in 1981. The principal petroleum product reflecting the decrease in oil consumption was residual oil (Table 2). Some fraction of its use was curtailed by a sluggish economy and another by fuel-switching by cost conscious utilites. By the end of 1981 the price of delivered residual oil was three times the price of coal on a comparable Btu basis and one and one-half times the price of natural gas. The American Petroleum Institute attributes 14% of the 18% drop in residual oil use to switching to coal for electric power generation.⁵

TABLE 2. Petroleum products.*

			10 ³ barrel/day (average)			
	1976	1977	1978	1979	1980	1981
Motor gasoline	6 , 978	7,177	7,412	7,034	6,579	6,586
Jet fuel	987	1,039	1,057	1,076	1,069	1,011
Distillate fuel oil	3,133	3,352	3,432	3,311	2,866	2,830
Residual fuel oil	2,801	3,071	3,023	2,826	2,508	2,062


^{*}Refined petroleum product supplied: sum of production, imports, net withdrawals from primary stocks minus exports.


Source: Monthly Energy Review, DOE/EIA-0035 (82/05);

1981 Annual Report to Congress: DOE/EIA-0173(81)/2, Vol. 2 of 3

Energy Statistics, May 1982.







*Note: NGL currently comprise an additional ~1.5 million barrels/day domestic oil production

Despite increased average passenger car efficiencies, the consumption of gasoline remained at 1980 levels. Overall transportation use increased slightly (3.2%) after falling in 1980. Conversion to diesel fuels continued in 1981, but it has no clear expression in the data of Table 2.

The American Gas Association reported that conversion to natural gas by residential and commercial users reached a record high. Nonetheless North America was the only major industrialized nation in the world that did not record a net increase in natural gas usage.⁶

Nineteen eighty-one saw the end of federal price controls on domestic crude oil production. The phased de-control began in April 1979 and ended in January 1981, at which time only 15% of oil remained under control. The effect on 1981 domestic production was small as far as can be determined.

During 1981 filling of the Strategic Petroleum Reserve (SPR) was accelerated. This was a felicitous time since there was a surplus of oil on international markets, and prices were "soft". For the first time the government purchased substantial amounts of domestic oil for SPR.

Nevertheless imports constituted 76% of the total purchases. The volume in SPR rose from 108 million barrels at the end of 1980 to 230 million barrels at the end of 1981. Surplus oil on international markets in 1981 was due to declining world-wide consumption, large stock-drawdowns within individual countries and reduced, but more than adequate, oil production.


The source of U.S. oil imports continued to change in 1981 (Table 3). However OPEC continued to provide the bulk of U.S. imports as it had prior to the 1973 embargo, 66.3% in 1981. While Iranian and Iraqi production declined (Figure 4) and exports to the U.S. were discontinued in 1981, Saudi Arabian

TABLE 3. Selected developed countries: crude oil imports, by source.

	C+ 107		and b/	<u>d</u>				
	Sept. 197 (Pre crisis	3					Percent of Sept.	of total 1981
	level)	1977	1978	1979	1980	1981	1973	(ave.)
United States								
Algeria	124	544	634	608	452	253	3.6	5.7
Egypt	***	36	20	55	31	23		0.7
Iraq	17	74	62	88	88		0.5	
Kuwait	44	42	5	5	20		1.3	
Libya	153	704	638	642	546	318	4.4	7.2
Qatar	41	67	64	31	22	7	1.2	0.2
Saudi Arabia	599	1373	1142	1347	1247	1111	17.3	25.2
United Arab								
Emirates	88	333	385	281	179	78	2.5	1.8
0ther			7	11	2	6		0.1
Ecuador	33	55	38	30	16	36	1.0	0.8
Gabon		35	38	42	25	35		0.8
Indonesia	249	507	533	380	307	319	7.2	7.2
Iran	205	530	554	297	7		5.9	
Nigeria	409	1130	910	1069	831	612	11.8	13.9
Venezuela	405	250	181	293	154	150	11.7	3.4
Total OPEC	2367	5644	5184	5113	3894	2919	68.2	66.3
Canada	998	279	248	271	199	164	28.8	3.7
Mexico	8	177	316	435	504	471	0.2	10.7
U.K.		97	169	197	174	368		8.4
Norway		48	104	75	141	114		2.6
Other	98	332	308	362	275	331	2.8	7.5
Total	3471	6615	6356	6519	5220	4406	100.	100.

Source: International Energy Statistical Review, 25 May 1982,

GI IESR 82-005, CIA, Directorate of Intelligence, p. 5.



*Pre-1978 annual averages are plotted mid-year

Figure 4

imports rose to more than cover the loss. Nonetheless, new non-OPEC suppliers such as Mexico were becoming more important to the U.S. In 1981 Mexico supplied 471,000 barrels per day or 11% of our imports as compared to 8,000 barrels per day in September, 1973 (Table 3).

After a strong resurgence of coal use in the U.S. starting in 1979, coal consumption rose only slightly in 1981. The price differential between oil and coal, although substantial, grew smaller and the fuel-switching that has been going on for the past few years was slowed. The recession similarly affected plans to retro-fit equipment to burn coal by the utilities. Exports increased substantially over 1979 levels (2.9 quads as compared to 1.7 quads), however large stockpiles in Europe and strong competition from Australia and South Africa for markets are believed to have dampened U.S. exports. A coal miners' strike in the second quarter resulted in drawdown in U.S. stocks as shown in the flow chart of Fig. 1.

Total transmitted electrical energy in 1981 was essentially the same as in 1980. Fuels burned for power generation continued to be dominated by coal. Nuclear energy provided approximately 12% of the total domestic electricity generation, but still less than in 1978 (Table 4). Four reactors were licensed and two were dropped from the count during the year. Capacity at year end was 56 GW_e. The count does not include the Humboldt Bay, CA, Dresden-1 or Three-Mile Island -2 reactors; it includes the reactor at Fort St. Vrain and the fast-breeder planned at Clinch River, Tennessee. Nineteen eighty-one projections of future U.S. nuclear capacity remain conservative (Fig. 5) as compared to past estimates. The projections in Fig. 5 are by the Department of Energy.

TABLE 4. Nuclear development status of nuclear reactor units.*

	1976	1977	1978	1979	1980	1981
Licensed reactors	62	67	71	71	72	74
Construction permits granted	72	80	90	91	82	75
Construction permits pending	66	52	32	21	12	11
Reactor units on order	16	13	9	3	3	3
Total reactor units	235	221	206	186	169	163
Total design capacity (million net [†] kW)	236	220	204	180	163	157
Nuclear portion of domestic electricity generation (%)	9.4	11.8	12.5	11.4	11.0	11.9

^{*}As of December 31 of each year

Source: Monthly Energy Review, DOE/EIA-0035 (82/05)

ROLES OF THE RECESSION AND CONSERVATION IN DECLINE OF ENERGY USE

Within the U.S. declining energy use (and associated oil consumption) has been attributed to the combined effects of an economic recession, price-driven conservation and increased efficiencies in end-use. The shares attributable to these factors are elusive. DOE's Office of Policy, Planning and Analysis contends that almost 40% of the decline is related to slow economic growth,

[†]Minus nominal station service load (∿5%)




Figure 5

30% to high prices and the remainder to increased efficiencies (11%) and other factors such as the general trend from heavy to light industry. Others, such as Hans Landsberg of Resources for the Future, relate 50% of the decline to the recession, and 50% to other factors. For a given dollar of U.S. GNP oil consumption has declined faster than all energy consumption - again indicating that issues other than the recession are responsible for the drop in overall energy use (Table 5).

TABLE 5. Total energy and petroleum consumption per constant dollar of GNP. 9 (Quadrillion Btu per trillion 1972 dollars.)

	1979	1980	1981
Total energy consumption	53.2	51.3	48.9
Petroleum consumption	25.0	23.1	21.2

A similar situation has been documented by the International Energy Agency for its 21-member countries. ¹⁰ The so-called oil/GDP* has decreased by an average 2.8% per year. For some countries the decrease over the period 1973-1980 has been spectacular, e.g., Japan (27.3%), U.K. (31.8%), West Germany (24.8%) and Italy (21.2%). For the U.S. the decrease was 13.7%. Most of the change occurred after 1979.

^{*}Gross domestic product

REFERENCES

- 1. A. L. Austin, <u>Energy Distribution Patterns in the U.S.A. for 1970 and 1985</u>, Lawrence Livermore National Laboratory Report UCID 16022, 1972.
- 2. C. K. Briggs and I. Y. Borg, U.S. Energy Flow 1980, Lawrence Livermore National Laboratory Report UCID 19227-80, October 21, 1981.
- 3. Monthly Energy Review, DOE/EIA-0035 (82/05).
- 4. 1981 Annual Report to Congress, Vol. 2 Energy Statistics, DOE/EIA-073 (81)2, May, 1982.
- 5. Petroleum Intelligence Weekly, January 25, 1982, p.7.
- 6. R. B. Kalisch, World Natural Gas and Oil Consumption Trends, <u>Gas Energy</u> Review 10 #9, 1982, p.12.
- 7. "Trends in Energy Use and Conservation", U.S. Dept. of Energy, Office of Policy, Planning and Analysis, April 1982.
- 8. Energy Daily, September 20, 1982, p.2.
- 9. Petroleum Supply Annual, DOE/EIA 0340(81)1, July 1982.
- 10. Petroleum Intelligence Weekly, August 30, 1982, p.6.

APPENDIX: CONVERSION FACTORS

The energy content of fuels varies. Some approximate, rounded conversion factors, useful for estimation, are given below.

<u>Fuel</u>	Energy Content (Btu)
Short ton of coal	22,500,000
Barrel (42 gallons) of crude oil	5,800,000
Cubic foot of natural gas	1,000
Kilowatt hour of electricity	3,400
Fossil fuel to produce one	
kilowatt hour of electricity	10,400

More detailed conversion factors are given in the Department of Energy's Monthly Energy Review.

DISCLAIMER

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government thereof, and shall not be used for advertising or product endorsement purposes.

> Printed in the United States of America Available from National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161

Price: Printed Copy \$; Microfiche \$3,50

Page Range	Domestic Price	Page Range	Domestic Price
001-025	\$ 5.00	326-350	\$ 18.00
026-050	6.00	351-375	19.00
051-075	7.00	376-400	20.00
076-100	8.00	401-425	21.00
101-125	9.00	426-450	22.00
126-150	10.00	451-475	23.00
151-175	11.00	476-500	24.00
176-200	12.00	501-525	25.00
201-225	13.00	526-550	26.00
226-250	14.00	551-525	27.00
251-275	15.00	526-550	28.00
276-300	16.00	601-up ¹	
301-325	17.00		

 $^{^{1}\}mathrm{Add}$ 2.00 for each additional 25 page increment from 601 pages up.

Technical Information Department · Lawrence Livermore Laboratory University of California · Livermore, California 94550

